

Response under 37 C.F.R. § 1.111
Serial No. 09/728,020
Page 5

REMARKS

In view of the following discussion, the Applicants submit that none of the claims now pending in the application are anticipated under the provisions of 35 U.S.C. § 102. The Applicants believe that all of these claims are now in allowable form.

I. REJECTIONS OF CLAIMS 1-14 UNDER 35 U.S.C. § 102

The Examiner rejected claims 1-14 under 35 U.S.C. §102 as being anticipated by Gupta, Sandeep K.S. and Srimani, Pradip K. ("An Adaptive Protocol for Reliable Multicast in Mobile Multi-hop Radio Networks," (IEEE, 1999)) herein referred to as "Gupta"). In response, the Applicants have amended independent claims 1 and 14, from which claims 2-13 depend, to more clearly recite aspects of the present invention.

Gupta teaches a method for reconstructing a multicast tree that has become disconnected (*e.g.*, due movement of nodes in the network). The techniques disclosed by Gupta are built around core-based trees for each local region of the network. Specifically, in order to reconstruct the disconnected tree, a node both sends a multicasting message to nodes to which it is still connected via the tree and also floods a "forwarding region" comprising nodes that are not part of the tree with the message. At this point, only nodes in the forwarding region continue to forward the message. In this manner, the forwarding region of the network becomes flooded with the message, such that the message eventually reaches disconnected nodes that were previously part of the multicast tree.

The Examiner's attention is directed to the fact that Gupta fails to disclose or suggest a method and network whereby network topology information is globally updated across the nodes in the network by distributing update messages in accordance with a path tree rooted at the source of the update message, as positively claimed by the Applicants. Applicants' independent claims 1 and 14 positively recite:

1. In a multi-hop network including a plurality of nodes that each maintains a table of network topology, a method for disseminating topology and link-state information over the multi-hop network, comprising:

Response under 37 C.F.R. § 1.111

Serial No. 09/728,020

Page 6

maintaining a path tree for each source node in the network that can produce an update message, each path tree having that source node as a root node, a parent node, and zero or more children nodes;

receiving an update message from the parent node in accordance with the path tree maintained for the source node that originated the received update message, the update message including information related to a link in the network; and

forwarding the update message to children nodes, if any, in accordance with the path tree maintained for the source node that originated the update message in response to the information in the received update message, if it is determined that the update message should be forwarded to the zero or more children nodes, such that topology information for the network is globally updated across the plurality of nodes. (Emphasis added)

14. A network, comprising:

a plurality of nodes in communication with each other over communication links, each node maintaining a table of network topology and a path tree for each source node in the network that can produce an update message, each path tree having that source node as a root node, a parent node, and zero or more children nodes,

wherein one of the nodes (i) receives an update message from the parent node in accordance with the path tree maintained for the source node that originated the received update message, the update message including information related to a link in the network, (ii) and forwards the update message to children nodes, if any, in accordance with the path tree maintained for the source node that originated the update message in response to the information in the received update message, if it is determined that the update message should be forwarded to the children nodes, such that topology information for the network is globally updated across the plurality of nodes. (Emphasis added)

In one embodiment, Applicants' invention teaches a method and network that uses the concept of reverse-path forwarding to broadcast each link-state in the reverse direction along a tree, e.g., using a tree formed by minimum-hop paths as an example. That is, each link-state update is broadcasted along the path rooted at the source node of the update. The minimum-hop-path trees (one tree per source) are updated dynamically using the topology and link-state information that is received along the minimum-hop-path trees themselves. Based on the information received along the minimum-hop-path trees, each node computes a parent node and children nodes, if any, for the minimum-hop-path tree rooted at each source node. Each routing node

Response under 37 C.F.R. § 1.111

Serial No. 09/728,020

Page 7

may receive and forward updates originating from a source node along the minimum-hop-path tree rooted at that source node. In this fashion, topology and link state information are disseminated globally, but without flooding the entire ad hoc network. (See Applicants' specification, page 16, line 3- page 23, line 3). The disseminated topology and link state information is used by nodes to update network topology tables that are maintained by each node.

By contrast, Gupta teaches techniques that are built around core-based trees (e.g., centered on a core router) for each local region of the network (see, e.g., Gupta, Section 3.1: "Our protocol ... uses the concept of the core-based tree protocol ... Each multicast group has a unique multicast group identifier *gid* and has a unique core node", emphasis added). Traffic is sent and received over a single, shared tree regardless of source. Core-based trees are not the same as trees that are rooted at the source of an update message, as claimed by the Applicants.

Specifically, Gupta does not teach or suggest disseminating update messages that convey information about incremental changes in topology and link states (e.g., without regard to actual data traffic) in accordance with an existing path tree rooted at the source of the update. At most, Gupta teaches that a first node wishing to join a multicast tree as a leaf node may send a join message to a second node in the multicast tree. The join message is processed by each node in the path from the source (i.e., the first node) to the destination (i.e., the second node). This path is determined hop-by-hop (See, Gupta, page 8, section 3.5). This stands in contrast to the Applicants' claimed invention, in which an update message containing information about link state or topology changes makes its way from source to destination(s) in accordance with an existing path tree rooted at and maintained for the source.

Moreover, Gupta does not teach globally updating network topology information across the nodes of the network. Rather, Gupta teaches core-based trees in multiple "regions" of a network. Thus, Gupta teaches a segmented network, whereas that taught by the Applicants is flat. Thus, the Applicants respectfully submit that claims 1 and 14, as amended, fully satisfy the requirements of 35 U.S.C. §102 and are patentable thereunder.

Response under 37 C.F.R. § 1.111
Serial No. 09/728,020
Page 8

Dependent claims 2-13 depend, either directly or indirectly, from claim 1 and recite additional features thereof. As such and for at least the same reasons set forth above, the Applicants submit that claims 2-13 are also not anticipated by the teachings of Gupta. Therefore, the Applicants submit that claims 2-13 also fully satisfy the requirements of 35 U.S.C. § 102 and are patentable thereunder.

II. CONCLUSION


Thus, the Applicants submit that none of the presented claims is anticipated under the provisions of 35 U.S.C. § 102. Consequently, the Applicants believe that all of the presented claims are presently in condition for allowance. Accordingly, both reconsideration of this application and its swift passage to issue are earnestly solicited.

If, however, the Examiner believes that there are any unresolved issues requiring adverse final action in any of the claims now pending in the application, it is requested that the Examiner telephone Mr. Kin-Wah Tong at (732) 530-9404 so that appropriate arrangements can be made for resolving such issues as expeditiously as possible.

Respectfully submitted,

11/22/05

Patterson & Sheridan, LLP
595 Shrewsbury Avenue
Suite 100
Shrewsbury, NJ 07702



Kin-Wah Tong
Reg. No. 39,400
(732) 530-9404